

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of James M. Gust et al.

Group: 2831

Serial No.: 09/859,718 Filed: May 17, 2001

Title: ELECTRICAL TUBING ASSEMBLY

) Examiner: D. Patel

WITH HERMETICALLY SEALED ENDS

## **AMENDMENT TRANSMITTAL SHEET**

Box Non-Fee Amendment Commissioner for Patents Washington, D.C. 20231

Sir:

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated as follows:

			CLAIMS AS AMENDEI	)		
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	17	MINUS	20	0	x \$ 9 x \$18	0.00
INDEPENDENT CLAIMS	3	MINUS	3	0	x \$42 x \$84	0.00
	FEE FOR MULTIPLE CLAIMS \$130/\$260				<u>-</u>	
			TOTAL ADDITIONA	L FEE FOR THIS A	MENDMENT	\$0.00

Verified Statement claiming small entity status is enclosed, if not filed previously.

A check in the amount of \$\_\_ is enclosed to cover the additional fees. (Check \*)

A check in the amount of \$\(\frac{1}{2}\) to cover the Extension fee for response within the (\*) month is enclosed. [ ]

Respectfully submitted

Todd T. Taylor

Attorney for Applicant

Enc: Return Postcard

TAYLOR & AUST, P.C. 142 S. Main Street P.O. Box 560 Avilla, IN 46710

Telephone: 219-897-3400 Facsimile: 219-897-9300

# #4/ Response THE STATES PATENT AND TRADEMARK OFFICE

e Application of James M. Gust et al. Group: 2831 Serial No.: 09/859,718 Filed: May 17, 2001

Fitle: ELECTRICAL TUBING ASSEMBLY WITH HERMETICALLY SEALED ENDS

) Examiner: D. Patel

**RESPONSE** 

Box Non-Fee Amendment Commissioner for Patents Washington, D.C. 20231

Sir:

Responsive to the Office Action dated September 19, 2001, Applicants hereby submit the following Response.

### **REMARKS**

Claims 1-17 are pending and rejected in this application.

The Applicants having referenced a prior application, in the present application and having identified that the present application is a continuation-in-part of the prior application, do request formal acknowledgement of Applicants' claim for domestic priority under 35 U.S.C. §120.

Responsive to the Examiner's objection to the drawings, wherein the Examiner has indicated that a plurality of annular projections, as recited in claims 6 and 12, are not shown on the drawings, Applicants respectfully traverse the Examiner's objection and draw the Examiner's attention to both page 6, line 17 of the disclosure and Fig 4. The disclosure, at the aforementioned location, describes annular projections 42 as a part of plug 18 which is also referred to as an electrical component. Fig. 4 illustrates plug 18 as having three annular projections 42. Accordingly, Applicants submit that the drawings are in allowable form.